,		
	Application No.	Applicant(s)
Notice of Allowability	10/056,027	BLAKLEY ET AL.
	Examiner	Art Unit
	David L. Sorkin	1723
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the amendment filed 23 October 2003.		
2. \(\sum \text{The allowed claim(s) is/are } \frac{3-20,22 \text{ and } 24}{24}. \)		
3. The drawings filed on are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 		
1. Certified copies of the priority documents have been received.		
2. ☐ Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
 Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. 		
(a) ☐ The translation of the foreign language provisional application has been received.		
 Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No 		
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.		
(c) ⊠ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1☐ Notice of References Cited (PTO-892)	5⊡ Notice of Informal Pat	· · · · · · · · · · · · · · · · · · ·
2 Notice of Draftperson's Patent Drawing Review (PTO-948)		PTO-413), Paper No
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No. 10/23/03), 7⊠ Examiner's Amendme	ent/Comment
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊡ Examiner's Statement 9⊡ Other	of Reasons for Allowance

Application/Control Number: 10/056,027

Art Unit: 1723

EXAMINER'S AMENDMENT

1. The following changes to the drawings have been approved by the examiner and agreed upon by applicant, in a telephone conversation with Stephen S. Fabry on 13 November 2003:

While the drawings sheets submitted 23 October 2003 correct other grounds for objection, they place O-rings 41, 42 and 45 in locations inconsistent with the originally filed drawing and paragraphs 39 and 40 of the specification. In Figs. 1 and 2, O-ring 41 must be located in collar 20, O-ring 42 in protrusion 18, and O-ring 45 in lower housing 32. So that the correct drawings are published, applicant should submit a complete set of drawings, sheets 1 and 2 being consistent with the above requirements, Sheets 3, 4, 5, 7 and 8 being as submitted 13 March 2002, and sheet 6 being as submitted 03 November 2003. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David L. Sorkin whose telephone number is 703-308-1121. The examiner can normally be reached on 9:00 -5:30 Mon.-Fri..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L. Walker can be reached on 703-308-0457. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/056,027

Art Unit: 1723

Page 3

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

David Sorkin

Dail Li

CHARLES E. CCOLEY PRIMARY EXAMINER

Charles C